



**Koffler Sales Company**

Specialists in Floor and Wall Protection

For Over 50 Years!

Wall and Ceiling Access Doors

**Model: ED-2002 6x6**



### Item # ED-2002 6 x 6, ED-2002 Universal: Wall and Ceiling Access Doors

The ED-2002 flush access door is an economical and attractive access door for walls & ceilings. This quality product is ideally suited for apartments, condominiums and office buildings.

A Concealed hinge, rounded safety corners on the flange and a grey baked enamel prime coat are all standard features of this access door.

Additional features include a flush fit door panel with formed edge.

### Specifications

<b>Nom Door Size (WxH)<sup>1</sup></b>	6 x 6 in
<b>Ceiling or Wall Openings</b>	6 3/8 x 6 3/8 in
<b>No. of Latches</b>	1
<b>Weight per Door</b>	1.7 lb
<b>Material</b>	16 gauge steel door and frame
<b>Door</b>	Flush to frame, formed edges
<b>Frame</b>	1" wide outside flange by 1 1/2" deep (2.5 x 3.8cm) mounting frame with holes
<b>Hinge</b>	Concealed
<b>Latch</b>	St/Stl screwdriver operated cam latch
<b>Finish</b>	White alkyd baking enamel

<sup>1</sup> Ceiling/Wall Opening is 3/8" (9mm) larger than Nominal Door Size



## Koffler Sales Company

Specialists in Floor and Wall Protection  
For Over 50 Years!

# Wall and Ceiling Access Doors Model: ED-2002 8x8



### Item # ED-2002 8 x 8, ED-2002 Universal: Wall and Ceiling Access Doors

The ED-2002 flush access door is an economical and attractive access door for walls & ceilings. This quality product is ideally suited for apartments, condominiums and office buildings.

A Concealed hinge, rounded safety corners on the flange and a grey baked enamel prime coat are all standard features of this access door.

Additional features include a flush fit door panel with formed edge.

### Specifications

<b>Nom Door Size (WxH)<sup>1</sup></b>	8 x 8 in
<b>Ceiling or Wall Openings</b>	8 3/8 x 8 3/8 in
<b>No. of Latches</b>	1
<b>Weight per Door</b>	2.5 lb
<b>Material</b>	16 gauge steel door and frame
<b>Door</b>	Flush to frame, formed edges
<b>Frame</b>	1" wide outside flange by 1 1/2" deep (2.5 x 3.8cm) mounting frame with holes Knock over mounting tabs
<b>Hinge</b>	Concealed
<b>Latch</b>	St/Stl screwdriver operated cam latch
<b>Finish</b>	White alkyd baking enamel

<sup>1</sup> Ceiling/Wall Opening is 3/8" (9mm) larger than Nominal Door Size



## Koffler Sales Company

Specialists in Floor and Wall Protection  
For Over 50 Years!

# Wall and Ceiling Access Doors Model: ED-2002 10x10



### Item # ED-2002 10 x 10, ED-2002 Universal: Wall and Ceiling Access Doors

The ED-2002 flush access door is an economical and attractive access door for walls & ceilings. This quality product is ideally suited for apartments, condominiums and office buildings.

A Concealed hinge, rounded safety corners on the flange and a grey baked enamel prime coat are all standard features of this access door.

Additional features include a flush fit door panel with formed edge.

### Specifications

<b>Nom Door Size (WxH)<sup>1</sup></b>	10 x 10 in
<b>Ceiling or Wall Openings</b>	10 3/8 x 10 3/8 in
<b>No. of Latches</b>	1
<b>Weight per Door</b>	3.5 lb
<b>Material</b>	16 gauge steel door and frame
<b>Door</b>	Flush to frame, formed edges
<b>Frame</b>	1" wide outside flange by 1 1/2" deep (2.5 x 3.8cm) mounting frame with holes Knock over mounting tabs
<b>Hinge</b>	Concealed
<b>Latch</b>	St/Stl screwdriver operated cam latch
<b>Finish</b>	White alkyd baking enamel

<sup>1</sup> Ceiling/Wall Opening is 3/8" (9mm) larger than Nominal Door Size



**Koffler Sales Company**

Specialists in Floor and Wall Protection

For Over 50 Years!

# Wall and Ceiling Access Doors

## Model: ED-2002 12x12



### Item # ED-2002 12 x 12, ED-2002 Universal: Wall and Ceiling Access Doors

The ED-2002 flush access door is an economical and attractive access door for walls & ceilings. This quality product is ideally suited for apartments, condominiums and office buildings.

A Concealed hinge, rounded safety corners on the flange and a grey baked enamel prime coat are all standard features of this access door.

Additional features include a flush fit door panel with formed edge.

### Specifications

<b>Nom Door Size (WxH)<sup>1</sup></b>	12 x 12 in
<b>Ceiling or Wall Openings</b>	12 3/8 x 12 3/8 in
<b>No. of Latches</b>	1
<b>Weight per Door</b>	4.6 lb
<b>Material</b>	16 gauge steel door and frame
<b>Door</b>	Flush to frame, formed edges
<b>Frame</b>	1" wide outside flange by 1 1/2" deep (2.5 x 3.8cm) mounting frame with holes Knock over mounting tabs
<b>Hinge</b>	Concealed
<b>Latch</b>	St/Stl screwdriver operated cam latch
<b>Finish</b>	White alkyd baking enamel

<sup>1</sup> Ceiling/Wall Opening is 3/8" (9mm) larger than Nominal Door Size



**Item # ED-2002 14 x 14, ED-2002 Universal: Wall and Ceiling Access Doors**

The ED-2002 flush access door is an economical and attractive access door for walls & ceilings. This quality product is ideally suited for apartments, condominiums and office buildings.

A Concealed hinge, rounded safety corners on the flange and a grey baked enamel prime coat are all standard features of this access door.

Additional features include a flush fit door panel with formed edge.

**Specifications**

<b>Nom Door Size (WxH)<sup>1</sup></b>	14 x 14 in
<b>Ceiling or Wall Openings</b>	14 3/8 x 14 3/8 in
<b>No. of Latches</b>	1
<b>Weight per Door</b>	5.8 lb
<b>Material</b>	16 gauge steel door and frame
<b>Door</b>	Flush to frame, formed edges
<b>Frame</b>	1" wide outside flange by 1 1/2" deep (2.5 x 3.8cm) mounting frame with holes
<b>Hinge</b>	Concealed
<b>Latch</b>	St/Stl screwdriver operated cam latch
<b>Finish</b>	White alkyd baking enamel

<sup>1</sup> Ceiling/Wall Opening is 3/8" (9mm) larger than Nominal Door Size



**Koffler Sales Company**

Specialists in Floor and Wall Protection  
For Over 50 Years!

Wall and Ceiling Access Doors  
**Model: ED-2002 16x16**



### Item # ED-2002 16 x 16, ED-2002 Universal: Wall and Ceiling Access Doors

The ED-2002 flush access door is an economical and attractive access door for walls & ceilings. This quality product is ideally suited for apartments, condominiums and office buildings.

A Concealed hinge, rounded safety corners on the flange and a grey baked enamel prime coat are all standard features of this access door.

Additional features include a flush fit door panel with formed edge.

### Specifications

<b>Nom Door Size (WxH)<sup>1</sup></b>	16 x 16 in
<b>Ceiling or Wall Openings</b>	16 3/8 x 16 3/8 in
<b>No. of Latches</b>	2
<b>Weight per Door</b>	7.2 lb
<b>Material</b>	16 gauge steel door and frame
<b>Door</b>	Flush to frame, formed edges
<b>Frame</b>	1" wide outside flange by 1 1/2" deep (2.5 x 3.8cm) mounting frame with holes
<b>Hinge</b>	Concealed
<b>Latch</b>	St/Stl screwdriver operated cam latch
<b>Finish</b>	White alkyd baking enamel

<sup>1</sup> Ceiling/Wall Opening is 3/8" (9mm) larger than Nominal Door Size



**Koffler Sales Company**

Specialists in Floor and Wall Protection  
For Over 50 Years!

# Wall and Ceiling Access Doors

## Model: ED-2002 18x18



### Item # ED-2002 18 x 18, ED-2002 Universal: Wall and Ceiling Access Doors

The ED-2002 flush access door is an economical and attractive access door for walls & ceilings. This quality product is ideally suited for apartments, condominiums and office buildings.

A Concealed hinge, rounded safety corners on the flange and a grey baked enamel prime coat are all standard features of this access door.

Additional features include a flush fit door panel with formed edge.

### Specifications

<b>Nom Door Size (WxH)<sup>1</sup></b>	18 x 18 in
<b>Ceiling or Wall Openings</b>	18 3/8 x 18 3/8 in
<b>No. of Latches</b>	2
<b>Weight per Door</b>	8.8 lb
<b>Material</b>	16 gauge steel door and frame
<b>Door</b>	Flush to frame, formed edges
<b>Frame</b>	1" wide outside flange by 1 1/2" deep (2.5 x 3.8cm) mounting frame with holes
<b>Hinge</b>	Concealed
<b>Latch</b>	St/Stl screwdriver operated cam latch
<b>Finish</b>	White alkyd baking enamel

<sup>1</sup> Ceiling/Wall Opening is 3/8" (9mm) larger than Nominal Door Size



**Koffler Sales Company**

Specialists in Floor and Wall Protection

For Over 50 Years!

# Wall and Ceiling Access Doors

## Model: ED-2002 20x20



### Item # ED-2002 20 x 20, ED-2002 Universal: Wall and Ceiling Access Doors

The ED-2002 flush access door is an economical and attractive access door for walls & ceilings. This quality product is ideally suited for apartments, condominiums and office buildings.

A Concealed hinge, rounded safety corners on the flange and a grey baked enamel prime coat are all standard features of this access door.

Additional features include a flush fit door panel with formed edge.

### Specifications

<b>Nom Door Size (WxH)<sup>1</sup></b>	20 x 20 in
<b>Ceiling or Wall Openings</b>	20 3/8 x 20 3/8 in
<b>No. of Latches</b>	2
<b>Weight per Door</b>	10.4 lb
<b>Material</b>	16 gauge steel door and frame
<b>Door</b>	Flush to frame, formed edges
<b>Frame</b>	1" wide outside flange by 1 1/2" deep (2.5 x 3.8cm) mounting frame with holes
<b>Hinge</b>	Concealed
<b>Latch</b>	St/Stl screwdriver operated cam latch
<b>Finish</b>	White alkyd baking enamel

<sup>1</sup> Ceiling/Wall Opening is 3/8" (9mm) larger than Nominal Door Size





**Koffler Sales Company**

Specialists in Floor and Wall Protection

For Over 50 Years!

# Wall and Ceiling Access Doors

## Model: ED-2002 24x24



### Item # ED-2002 24 x 24, ED-2002 Universal: Wall and Ceiling Access Doors

The ED-2002 flush access door is an economical and attractive access door for walls & ceilings. This quality product is ideally suited for apartments, condominiums and office buildings.

A Concealed hinge, rounded safety corners on the flange and a grey baked enamel prime coat are all standard features of this access door.

Additional features include a flush fit door panel with formed edge.

### Specifications

<b>Nom Door Size (WxH)<sup>1</sup></b>	24 x 24 in
<b>Ceiling or Wall Openings</b>	24 3/8 x 24 3/8 in
<b>No. of Latches</b>	4
<b>Weight per Door</b>	14.2 lb
<b>Material</b>	16 gauge steel door and frame
<b>Door</b>	Flush to frame, formed edges
<b>Frame</b>	1" wide outside flange by 1 1/2" deep (2.5 x 3.8cm) mounting frame with holes
<b>Hinge</b>	Concealed
<b>Latch</b>	St/Stl screwdriver operated cam latch
<b>Finish</b>	White alkyd baking enamel

<sup>1</sup> Ceiling/Wall Opening is 3/8" (9mm) larger than Nominal Door Size



## Koffler Sales Company

Specialists in Floor and Wall Protection  
For Over 50 Years!

# Wall and Ceiling Access Doors Model: ED-2002 6x6 CL




### Item # ED-2002 6 x 6 CL, ED-2002 Universal: Wall and Ceiling Access Doors

The ED-2002 flush access door is an economical and attractive access door for walls & ceilings. This quality product is ideally suited for apartments, condominiums and office buildings.

A Concealed hinge, rounded safety corners on the flange and a grey baked enamel prime coat are all standard features of this access door.

Additional features include a flush fit door panel with formed edge.

### Specifications

<b>Nom Door Size (WxH)<sup>1</sup></b>	6 x 6 in
<b>Ceiling or Wall Openings</b>	6 3/8 x 6 3/8 in
<b>No. of Latches</b>	1
<b>Weight per Door</b>	1.7 lb
<b>Material</b>	16 gauge steel door and frame
<b>Door</b>	Flush to frame, formed edges
<b>Frame</b>	1" wide outside flange by 1 1/2" deep (2.5 x 3.8cm) mounting frame with holes
<b>Hinge</b>	Concealed
<b>Latch</b>	 Cylinder lock and key
<b>Finish</b>	White alkyd baking enamel

<sup>1</sup> Ceiling/Wall Opening is 3/8" (9mm) larger than Nominal Door Size



## Koffler Sales Company

Specialists in Floor and Wall Protection  
For Over 50 Years!

# Wall and Ceiling Access Doors Model: ED-2002 8x8 CL




### Item # ED-2002 8 x 8 CL, ED-2002 Universal: Wall and Ceiling Access Doors

The ED-2002 flush access door is an economical and attractive access door for walls & ceilings. This quality product is ideally suited for apartments, condominiums and office buildings.

A Concealed hinge, rounded safety corners on the flange and a grey baked enamel prime coat are all standard features of this access door.

Additional features include a flush fit door panel with formed edge.

### Specifications

<b>Nom Door Size (WxH)<sup>1</sup></b>	8 x 8 in
<b>Ceiling or Wall Openings</b>	8 3/8 x 8 3/8 in
<b>No. of Latches</b>	1
<b>Weight per Door</b>	2.5 lb
<b>Material</b>	16 gauge steel door and frame
<b>Door</b>	Flush to frame, formed edges
<b>Frame</b>	1" wide outside flange by 1 1/2" deep (2.5 x 3.8cm) mounting frame with holes Knock over mounting tabs
<b>Hinge</b>	Concealed
<b>Latch</b>	 Cylinder lock and key
<b>Finish</b>	White alkyd baking enamel

<sup>1</sup> Ceiling/Wall Opening is 3/8" (9mm) larger than Nominal Door Size



**Koffler Sales Company**

Specialists in Floor and Wall Protection  
For Over 50 Years!

Wall and Ceiling Access Doors

**Model: ED-2002 10x10 CL**




**Item # ED-2002 10 x 10 CL, ED-2002 Universal: Wall and Ceiling Access Doors**

The ED-2002 flush access door is an economical and attractive access door for walls & ceilings. This quality product is ideally suited for apartments, condominiums and office buildings.

A Concealed hinge, rounded safety corners on the flange and a grey baked enamel prime coat are all standard features of this access door.

Additional features include a flush fit door panel with formed edge.

**Specifications**

<b>Nom Door Size (WxH)<sup>1</sup></b>	10 x 10 in
<b>Ceiling or Wall Openings</b>	10 3/8 x 10 3/8 in
<b>No. of Latches</b>	1
<b>Weight per Door</b>	3.5 lb
<b>Material</b>	16 gauge steel door and frame
<b>Door</b>	Flush to frame, formed edges
<b>Frame</b>	1" wide outside flange by 1 1/2" deep (2.5 x 3.8cm) mounting frame with holes Knock over mounting tabs
<b>Hinge</b>	Concealed
<b>Latch</b>	 Cylinder lock and key
<b>Finish</b>	White alkyd baking enamel

<sup>1</sup> Ceiling/Wall Opening is 3/8" (9mm) larger than Nominal Door Size



## Koffler Sales Company

Specialists in Floor and Wall Protection  
For Over 50 Years!

Wall and Ceiling Access Doors

# Model: ED-2002 12x12 CL




### Item # ED-2002 12 x 12 CL, ED-2002 Universal: Wall and Ceiling Access Doors

The ED-2002 flush access door is an economical and attractive access door for walls & ceilings. This quality product is ideally suited for apartments, condominiums and office buildings.

A Concealed hinge, rounded safety corners on the flange and a grey baked enamel prime coat are all standard features of this access door.

Additional features include a flush fit door panel with formed edge.

### Specifications

<b>Nom Door Size (WxH)<sup>1</sup></b>	12 x 12 in
<b>Ceiling or Wall Openings</b>	12 3/8 x 12 3/8 in
<b>No. of Latches</b>	1
<b>Weight per Door</b>	4.6 lb
<b>Material</b>	16 gauge steel door and frame
<b>Door</b>	Flush to frame, formed edges
<b>Frame</b>	1" wide outside flange by 1 1/2" deep (2.5 x 3.8cm) mounting frame with holes Knock over mounting tabs
<b>Hinge</b>	Concealed
<b>Latch</b>	 Cylinder lock and key
<b>Finish</b>	White alkyd baking enamel

<sup>1</sup> Ceiling/Wall Opening is 3/8" (9mm) larger than Nominal Door Size



## Koffler Sales Company

Specialists in Floor and Wall Protection  
For Over 50 Years!

Wall and Ceiling Access Doors

# Model: ED-2002 14x14 CL




### Item # ED-2002 14 x 14 CL, ED-2002 Universal: Wall and Ceiling Access Doors

The ED-2002 flush access door is an economical and attractive access door for walls & ceilings. This quality product is ideally suited for apartments, condominiums and office buildings.

A Concealed hinge, rounded safety corners on the flange and a grey baked enamel prime coat are all standard features of this access door.

Additional features include a flush fit door panel with formed edge.

### Specifications

<b>Nom Door Size (WxH)<sup>1</sup></b>	14 x 14 in
<b>Ceiling or Wall Openings</b>	14 3/8 x 14 3/8 in
<b>No. of Latches</b>	1
<b>Weight per Door</b>	5.8 lb
<b>Material</b>	16 gauge steel door and frame
<b>Door</b>	Flush to frame, formed edges
<b>Frame</b>	1" wide outside flange by 1 1/2" deep (2.5 x 3.8cm) mounting frame with holes
<b>Hinge</b>	Concealed
<b>Latch</b>	 Cylinder lock and key
<b>Finish</b>	White alkyd baking enamel

<sup>1</sup> Ceiling/Wall Opening is 3/8" (9mm) larger than Nominal Door Size



## Koffler Sales Company

Specialists in Floor and Wall Protection  
For Over 50 Years!

Wall and Ceiling Access Doors

# Model: ED-2002 16x16 CL




### Item # ED-2002 16 x 16 CL, ED-2002 Universal: Wall and Ceiling Access Doors

The ED-2002 flush access door is an economical and attractive access door for walls & ceilings. This quality product is ideally suited for apartments, condominiums and office buildings.

A Concealed hinge, rounded safety corners on the flange and a grey baked enamel prime coat are all standard features of this access door.

Additional features include a flush fit door panel with formed edge.

### Specifications

<b>Nom Door Size (WxH)<sup>1</sup></b>	16 x 16 in
<b>Ceiling or Wall Openings</b>	16 3/8 x 16 3/8 in
<b>No. of Latches</b>	2
<b>Weight per Door</b>	7.2 lb
<b>Material</b>	16 gauge steel door and frame
<b>Door</b>	Flush to frame, formed edges
<b>Frame</b>	1" wide outside flange by 1 1/2" deep (2.5 x 3.8cm) mounting frame with holes
<b>Hinge</b>	Concealed
<b>Latch</b>	 Cylinder lock and key
<b>Finish</b>	White alkyd baking enamel

<sup>1</sup> Ceiling/Wall Opening is 3/8" (9mm) larger than Nominal Door Size



## Koffler Sales Company

Specialists in Floor and Wall Protection  
For Over 50 Years!

Wall and Ceiling Access Doors

# Model: ED-2002 18x18 CL




### Item # ED-2002 18 x 18 CL, ED-2002 Universal: Wall and Ceiling Access Doors

The ED-2002 flush access door is an economical and attractive access door for walls & ceilings. This quality product is ideally suited for apartments, condominiums and office buildings.

A Concealed hinge, rounded safety corners on the flange and a grey baked enamel prime coat are all standard features of this access door.

Additional features include a flush fit door panel with formed edge.

### Specifications

<b>Nom Door Size (WxH)<sup>1</sup></b>	18 x 18 in
<b>Ceiling or Wall Openings</b>	18 3/8 x 18 3/8 in
<b>No. of Latches</b>	2
<b>Weight per Door</b>	8.8 lb
<b>Material</b>	16 gauge steel door and frame
<b>Door</b>	Flush to frame, formed edges
<b>Frame</b>	1" wide outside flange by 1 1/2" deep (2.5 x 3.8cm) mounting frame with holes
<b>Hinge</b>	Concealed
<b>Latch</b>	 Cylinder lock and key
<b>Finish</b>	White alkyd baking enamel

<sup>1</sup> Ceiling/Wall Opening is 3/8" (9mm) larger than Nominal Door Size





**Koffler Sales Company**

Specialists in Floor and Wall Protection  
For Over 50 Years!

Wall and Ceiling Access Doors

**Model: ED-2002 20x20 CL**




**Item # ED-2002 20 x 20 CL, ED-2002 Universal: Wall and Ceiling Access Doors**

The ED-2002 flush access door is an economical and attractive access door for walls & ceilings. This quality product is ideally suited for apartments, condominiums and office buildings.

A Concealed hinge, rounded safety corners on the flange and a grey baked enamel prime coat are all standard features of this access door.

Additional features include a flush fit door panel with formed edge.

**Specifications**

<b>Nom Door Size (WxH)<sup>1</sup></b>	20 x 20 in
<b>Ceiling or Wall Openings</b>	20 3/8 x 20 3/8 in
<b>No. of Latches</b>	2
<b>Weight per Door</b>	10.4 lb
<b>Material</b>	16 gauge steel door and frame
<b>Door</b>	Flush to frame, formed edges
<b>Frame</b>	1" wide outside flange by 1 1/2" deep (2.5 x 3.8cm) mounting frame with holes
<b>Hinge</b>	Concealed
<b>Latch</b>	 Cylinder lock and key
<b>Finish</b>	White alkyd baking enamel

<sup>1</sup> Ceiling/Wall Opening is 3/8" (9mm) larger than Nominal Door Size



## Koffler Sales Company

Specialists in Floor and Wall Protection  
For Over 50 Years!

Wall and Ceiling Access Doors

# Model: ED-2002 20x20 CL




### Item # ED-2002 24 x 24 CL, ED-2002 Universal: Wall and Ceiling Access Doors

The ED-2002 flush access door is an economical and attractive access door for walls & ceilings. This quality product is ideally suited for apartments, condominiums and office buildings.

A Concealed hinge, rounded safety corners on the flange and a grey baked enamel prime coat are all standard features of this access door.

Additional features include a flush fit door panel with formed edge.

### Specifications

<b>Nom Door Size (WxH)<sup>1</sup></b>	24 x 24 in
<b>Ceiling or Wall Openings</b>	24 3/8 x 24 3/8 in
<b>No. of Latches</b>	4
<b>Weight per Door</b>	14.2 lb
<b>Material</b>	16 gauge steel door and frame
<b>Door</b>	Flush to frame, formed edges
<b>Frame</b>	1" wide outside flange by 1 1/2" deep (2.5 x 3.8cm) mounting frame with holes
<b>Hinge</b>	Concealed
<b>Latch</b>	 Cylinder lock and key
<b>Finish</b>	White alkyd baking enamel

<sup>1</sup> Ceiling/Wall Opening is 3/8" (9mm) larger than Nominal Door Size