

CONSPICUITY TAPE (5-YEAR)

PRODUCT INFORMATION GUIDE

Application(s):	Our 5-year reflective sheeting is a high quality, durable, self-adhesive. Prismatic lens, retroreflective material. It is designed for use on vehicles for easy nighttime vehicle recognition. Meets DOT-C2 specification. Product only available in red and white with 11" / 7" pattern.
Adhesive:	Permanent, Acrylic Pressure Sensitive Adhesive
Face Film:	Vinyl Based Prismatic Reflective Film
Liner:	Polymeric Film
Tape Application:	Minimum application temperature 16 ^o C (60 ^o F) Recommended for flat application to painted metal surfaces only. This product is not to be used for application to stainless steel. Reflective sheeting is not designed for use as a printed decal. Applications involving the printing of this product are not covered by warranty. Surface must be clear of contamination.
Shelf Life:	One year, when stored at 73 ^o F (23 ^o C), 50% +/- 5% relative humidity.

Property:	Test Method:	Measurement:
Outdoor Durability Operational Temp. Typical Film Caliper Specifications		5 years when properly processed and applied (vertical) (-23 ^o C to 72 ^o C) -10 ^o F to 160 ^o F 13.0 mils Meets or exceeds applicable requirements mentioned in NHTSA (49 CFR 571) and carries "DOT-C2" certification printed in white
Minimum Reflectivity Level *		
Observation Angle (°)	Entrance Angle (°)	White Sheeting (Red Sheeting) (*) CPL tested per ASTM E-810
0.2	-4	250 (65)
0.2	30	250 (65)
0.2	45	60 (15)
0.5	-4	60 (15)
0.5	30	60 (15)
0.5	45	15 (4)



This data is based on typical results achieved. It is the sole responsibility of the buyer or user to ensure that the product is suitable for any proposed end use or application and to ensure proper cleaning of the substrate to which it will be applied. This data in no way constitutes a specification, nor should it be seen as a recommendation for use. We accept no liability for any loss, damage or injury resulting from the use of these products or data.

January 2010.